




## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>6</sup> : <b>H04L 12/24</b>		A1	(11) International Publication Number: <b>WO 98/09402</b>
		(43) International Publication Date: 5 March 1998 (05.03.98)	
(21) International Application Number: PCT/EP97/04614		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).	
(22) International Filing Date: 25 August 1997 (25.08.97)		Published With international search report.	
(30) Priority Data: 9617859.5 27 August 1996 (27.08.96) GB			
(71) Applicant (for all designated States except US): METRIX S.A. [LU/LU]; 5, place de l'Indépendance, L-1813 Hawald (LU).			
(72) Inventors; and (73) Inventors/Applicants (for US only): RAFATJOO, Bakman [BE/BE]; 13, rue Chavez, B-6741 Vance (BE), MUNK-JAKOBSEN, Thomas [LU/LU]; 5, place de l'Indépendance, L-1813 Hawald (LU).			
(74) Agent: GILL JENNINGS & EVERY; Broadgate House, 7 Eldon Street, London EC2M 7LH (GB).			

## (54) Title: MANAGEMENT OF COMPUTER WORKSTATIONS

## (57) Abstract

A method of managing a plurality of computer workstations interconnected by a network, the workstations including at least one policy group. The method includes the steps of receiving data relating to the policy group definition and generating a program representative of the policy group definition data. The generated program is sent to each of the plurality of workstations and the workstations instructed to check, by employing the program, whether or not each respective workstation belongs or does not belong to the at least one policy groups. The results of the checking step from each work station are returned to at least one managing station.



**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LJ	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		

MANAGEMENT OF COMPUTER WORKSTATIONS

The subject of this application is concerned with modern networks of computers. With the advent of reliable  
5 Local Area Networks (LANs) and good quality Wide Area Networks (WANs) it has been possible to interconnect low cost powerful personal computers and file / print server equipment. Such networks of computers have grown very quickly in recent years so that it is not uncommon to find  
10 networks ranging from thousands to tens of thousands of computer (nodes) all within the same commercial organisation. Companies usually develop such networks to cover a number of main sites which will be served by LANs and interconnected via WAN links.

15 This structure is in marked contrast to the structure of data networks of 10 years ago where computer terminals were connected directly (or via concentrators) to one or a very few large mainframe computers.

Not only does this change represent a major difference  
20 in technology, but it also gives rise to differences in operating principles. In the old mainframe case, all services were provided and controlled centrally from the company's IT and Operations departments; whereas now there is a strong tendency to decentralise and for individual  
25 departments become responsible for their own workstation PCs. In any event, no central control is implied or (usually) imposed on LANs and their connected systems.

Management systems for controlling the network infrastructure of LAN/WAN networks are frequently to be  
30 found but to date, few (if any) of these address the problem of managing workstations and their servers (fig 1). A major problem comes about from the fact that each PC is independent of the others and thus may be configured differently and without reference to them. Each may contain  
35 different software suites as well as different hardware. However, since they are all using a common data infrastructure (the LAN/WAN) these differences can give

rise to conflicts on data accesses. Furthermore, since no one authority is responsible for all the PCs, no-one can guarantee that software licence provisions are being strictly adhered to.

5       The resolution of these problems implies being able to define inventory classes (for groups of computers) and being able to monitor them on a continuous basis. Added to this is the problem of making changes and updates to such groups of computers as they are found to require it. The  
10       actual groupings specified will need to reflect the operational as well as organisational nature of each company concerned. In effect network administrators have to be able to define and redefine them as a company's needs change.

15       According to the present invention, there is provided a method of managing a plurality of computer workstations interconnected by a network, the workstations including at least one policy group, the method including the steps of:  
20       receiving data relating to the policy group definition;

      generating a program representative of the policy group definition data;  
      sending the generated program to each of the plurality of workstations;  
25       instructing the workstations to check, by employing the program, whether or not each respective workstation belongs or does not belong to the at least one policy group; and

      returning the results of the checking step from each  
30       work station to at least one managing station.

      This invention solves the above problems firstly by allowing the network administrator (i.e. the user of the network management system) to be able to define the membership conditions corresponding to each group which he  
35       wishes to create, and then to have them sent to all of the workstations on the network as a script or program data for execution within each agent locally. At this point, (the

agent residing in) each workstation will check periodically whether or not it fulfils any group membership and if so it will transmit a trap or event message to the network management station. This in turn on receiving these traps will update its database to reflect this. Thus, since the membership of each group is checked independently by each workstation, the effect is one of producing an inventory in real time of network status. Policies can therefore be managed with an assurance of accurate and timely information.

The novelty of the above approach is in respect of the fact that the decisions for group membership are taken by each workstation itself and independently of any others. In order to do this, it is necessary that the stations are capable of receiving and processing the definition information, be it in the form of a definition file or in the form of an executable script or program which is generated at the management station. This in turn implies the presence of some form of management agent in the workstations, and a communications sub-system which can send to and receive transmissions from the management system, which itself will update its database to record any changes.

One example of the present invention will now be described with reference to the accompanying drawings, in which:

Figure 1 shows a computer network;

Figure 2 shows a network management system employing the invention; and

Figure 3 is a flow diagram of an operation according to the invention.

Figure 1 shows a standard node computer network 10 which has plural interconnected user workstations 11. The workstations are managed from a main network management station 12.

The problem cited above of managing the workstations 11, can be seen in this context as one of updating (reading

from or writing to) database entries and as a consequence from/to the real workstation agents. When the numbers of workstations 11 start to become large (i.e. from many hundreds to tens of thousands) then, although powerful management systems 12 can access these volumes automatically, it becomes impossible for the human operator to search through such volumes and indicate which agents need to be contacted.

The answer to this is to break down this mass of nodes into groups and to manage the groups as if they were individual workstations. That is, an update to a group of (for example) parameter 5 on a group will cause the management system 12 to send an update order to all nodes contained in that group, for an update to parameter 5. Such groups are often called policy groups since all members are subject to the same management rules or policies.

The main difficulty then is in being able to define which groupings are significant and to define which of the (maybe thousands of) nodes should belong to which groups.

The method of the invention can be employed on network management systems 12 of the type managing the network 10 of figure 1. Such a system 12 is shown in figure 2 and generally consists of the following components:

1. A graphical user interface
2. A network Management control program(s)
3. A database (for registering network events and recording network component information).
4. A communications sub-system (for reading and updating network component status).

Of particular importance is the management database 3 which contains a data record for each of the devices 11 (nodes hubs routers etc.) which are to be found on the network 10. Typically a record will contain information such as the node's network address, its physical parameters and may also contain data related to its identification in the company's environment, such as who is the responsible user and where it is located. Database techniques are used

to manage this information on larger scale management systems because of the extent of the information, the numbers of nodes involved and the inter-relationships which may exist between co-operating network devices 11.

- 5 Manageable devices 11 are those end stations which can be interrogated and updated from the management system 12. This interrogation and updating is performed by sending messages (from the communications sub-system 4) to control programs (known as agents) which reside and are always  
10 active locally in the end stations 11. These agents are very common in network devices (such as bridges and routers) but are only just becoming available for user workstations.

- The steps required for the implementation of the  
15 invention are shown in fig 3. The actions are initiated by a network administrator who will decide on the group membership conditions and configure his management station 12 accordingly (step 1). This is then compiled into scripts or programs (step 2) which are sent to all workstation  
20 agents on the network 10 (step 3). Note that normally there will be many group definitions active at any one time. At each workstation 11, on receiving a new group definition, the local agent will add it to his list of active group conditions and periodically will check the  
25 workstation 11 to see if any changes have taken place which affect the membership conditions (step 4). The rate at which this checking (polling) takes place is given by the script, since some conditions are more dynamic than others. A typical check on available disk space, for example, might  
30 be once every 15 seconds, whereas that for installed software need only be once every 10 minutes. Note that the agent will perform these checks independently of the workstation 11 being connected to the network 10, and will signal them as and when it is reconnected. This is  
35 particularly useful for portable PCs.

Whenever a change is detected which affects the membership of one or more defined groups, the agent causes

a trap message to be sent to the management station 12 to signal this event (step 5). This trap is used to update the database entries for each group and may also (optionally) generate an alarm condition for the administrator (step 6).



CLAIMS

1. A method of managing a plurality of computer workstations interconnected by a network, the workstations including at least one policy group, the method including the steps of:
- 5        receiving data relating to the policy group definition;
- generating a program representative of the policy group definition data;
- 10       sending the generated program to each of the plurality of workstations;
- instructing the workstations to check, by employing the program, whether or not each respective workstation belongs or does not belong to the at least one policy groups; and
- 15       returning the results of the checking step from each work station to at least one managing station.
2. A method according to claim 1, wherein the policy group definition data is received at a remote location.
- 20       3. A method according to claim 1 or claim 2, wherein the generated program is generated at a remote location.
- 25       4. A method according to any of claims 1 to 3, wherein the checking step is performed regardless of whether the workstation is connected to a network or not.
- 30       5. A method according to any of the preceding claims, wherein the generated program is altered in response to the returned results.

1/3




Fig 1

2/3




Fig2

3/3




Fig3

# INTERNATIONAL SEARCH REPORT

Inter. Appl. Application No.

PCT/EP 97/04614

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 H04L12/24

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 H04L

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A.	<p>VASSILA A ET AL: "INTRODUCING ACTIVE MANAGED OBJECTS FOR EFFECTIVE AND AUTONOMOUS DISTRIBUTED MANAGEMENT" BRINGING TELECOMMUNICATION SERVICES TO THE PEOPLE - ISS &amp; N 1995, THIRD INTERNATIONAL CONFERENCE ON INTELLIGENCE IN BROADBAND SERVICE AND NETWORKS, HERAKLION, CRETE, OCT. 16 - 19, 1995. PROCEEDINGS, no. CONF. 3, 16 October 1995, CLARKE A; CAMPOLARGO M; KARATZAS N (EDS ), pages 415-429, XP000593492 see paragraph 1 see page 416, line 6 - line 18 see page 417, line 3 - line 13 see page 419, line 30 - line 40 see page 420, line 4 - line 8 see page 421, line 4 - line 17 see page 422, line 13 - line 15</p> <p style="text-align: center;">---</p> <p style="text-align: center;">-/-</p>	1-5

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

### Special categories of cited documents:

- \*A\* document defining the general state of the art which is not considered to be of particular relevance
- \*E\* earlier document but published on or after the international filing date
- \*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another claim or other special reason (as specified)
- \*O\* document referring to an oral disclosure, use, exhibition or other means
- \*P\* document published prior to the international filing date but later than the priority date claimed

- \*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- \*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- \*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
- \*Z\* document member of the same patent family

Date of the actual completion of the international search

Date of mailing of the international search report

18 November 1997

02/12/1997

Name and mailing address of the ISA

European Patent Office, P.B. 5018 Patentean 2  
NL - 2220 HV Rijswijk  
Tel: (+31-70) 340-2040; Tx: 31 651 apo nl,  
Fax: (+31-70) 340-2016

Authorized officer

Cichra, M

# INTERNATIONAL SEARCH REPORT

Inter. Appl. Application No.

PCT/EP 97/04614

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication where appropriate, of the relevant passages	Relevant to claim No.
A	US 5 193 152 A (SMITH DANIEL L) 9 March 1993 see abstract; figures 3,4 see column 1, line 1 - column 2, line 68 see column 5, line 11-58	1,2
A	US 4 385 384 A (ROSBURY ARTHUR H ET AL) 24 May 1983 see abstract; figure 2 see column 6, line 15-43 see column 9, line 67 - column 10, line 38 see claims 1,2	1-3
A	MITROPOULOS S ET AL: "INTEGRATED DISTRIBUTED MANAGEMENT IN INTERCONNECTED LANS" PROCEEDINGS OF THE NETWORK OPERATIONS AND MANAGEMENT SYMPOSIUM (NOM, KISSIMMEE, FEB. 14 - 17, 1994, vol. 3 OF 3, 14 February 1994, INSTITUTE OF ELECTRICAL AND ELECTRONICS ENGINEERS, pages 898-908, XP000452396 see page 900, line 1 - last line see page 904, line 1 - page 905, last line	1
A	CHERITON D R ET AL: "HOST GROUPS: A MULTICAST EXTENSION FOR DATAGRAM INTERNETWORKS" HIGH PERFORMANCE LIGHT-WEIGHT FUEL CELL ELECTRODES, 10 September 1985, pages 172-179, XP000560608 see abstract see paragraph 2 - paragraph 2.1	1

# INTERNATIONAL SEARCH REPORT

Information on patent family members

Inter. Appl. No.  
PCT/EP 97/04614

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 5193152 A	09-03-93	NONE	
US 4385384 A	24-05-83	BE 867885 A	02-10-78
		CA 1133638 A	12-10-82
		CA 1138996 A	04-01-83
		CA 1138999 A	04-01-83
		CA 1138997 A	04-01-83
		CA 1138998 A	04-01-83
		CA 1139449 A	11-01-83
		CH 642209 A	30-03-84
		CH 641612 A	29-02-84
		CH 641613 A	29-02-84
		CH 642499 A	13-04-84
		DE 2824578 A	11-01-79
		FR 2408953 A	08-06-79
		GB 1605058 A	16-12-81
		GB 1605059 A	16-12-81
		GB 1605057 A	16-12-81
		JP 54016949 A	07-02-79
		JP 1009783 B	20-02-89
		JP 1603308 C	04-04-91
		JP 62142434 A	25-06-87
		SE 438932 B	13-05-85
		SE 7806295 A	02-02-79